



Videohub Master Control

Technical Specifications

Description

When you need to access your whole router without sacrificing speed, then Videohub Master Control lets you scroll your router sources and destinations with the easy to use spin knob control or via direct button entry. You can even see all routes on the beautiful LCD! Powers via DC or the Ethernet connection!

Price

\$695

Connections


Ethernet

RJ45 Ethernet with Power over Ethernet supported, without power supplied on loop Ethernet output.

Updates

USB 2.0 high speed (480Mb/s) interface.

Power +12V DC input



Hardware Control

15 assignable buttons with scroll wheel for fast selection of source and destination. LCD information screen.

Internal Software

Internal Software upgrade via included firmware updater application via USB.

Operating Systems

Mac OS X 10.9 Mavericks,
 Mac OS X 10.10 Yosemite or later.
 Windows 7 or Windows 8.

Physical Installation

1 rack unit size. Less than an inch deep.

Button Configuration

Included free for Windows™ and Mac OS X™ via USB 2.0 high speed (480Mb/s) interface.

Power Requirements

Power Fail Protection

Button configurations and router communication preserved and restored instantly at power on. Button configuration can also be saved for later recall.

Power Supply

1 x Universal power supply included with international socket adapters for all countries.

Physical Specification

Weight: 827g

Depth (not including connectors): 36mm

Width: 482mm

Overall depth (including connectors): 40mm

Height: 44mm

Environmental Specifications

Operating temperature

0° to 40° C (32° to 104° F)

Storage temperature

-20° to 45° C (-4° to 113° F)

Relative Humidity

0% to 90% non-condensing

What's Included

Videohub Master Control

Universal power supply included with international socket adapters

Warranty

12 Months Limited Warranty.